

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	federat\$2 same (multidimensional or multi-dimensional) and analytic\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:02
L2	2	"20030212667"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:07
L3	1	(multidimensional adj model) same (relational adj model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:09
L4	0	(multidimensional adj model) same (map\$5 or translat\$5 or chang\$2 or build\$3) same (relational adj model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:10
L5	108	(multidimensional) same (map\$5 or translat\$5 or chang\$2 or build\$3) same (relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:48
L6	285	analytic\$2 and ((multi-dimension\$2 or multidimension\$2) same (map\$5 or translat\$4 or chang\$4 or build\$4 or generat\$4) same relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:50
L7	45	analytic\$2 and (((multi-dimension\$2 or multidimension\$2) near4 set) same (map\$5 or translat\$4 or chang\$4 or build\$4 or generat\$4) same relational)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:51
S1	1	("20050138004").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:19
S2	1	("20050075856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:43

EAST Search History

S6	1	("20050131917").PN.	US-PGPUB	OR	OFF	2006/06/07 16:33
S12	316	((multidimensional or multi-dimensional) same (datasource or (data adj source)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 17:20
S13	63	((multidimensional or multi-dimensional) same (datasource or (data adj source)) same query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 17:22
S14	11	((multidimensional or multi-dimensional) adj (datasource or (data adj source))) and ((multidimensional or multi-dimensional) adj query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:47
S15	0	((relational adj query) same((multidimensional or multi-dimensional) adj (datasource or (data adj source))) and ((multidimensional or multi-dimensional) adj query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:48
S16	249	siebel.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:49
S17	32	siebel.as. and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:49
S18	1	siebel.as. and "707".clas. and (multidimensional or multi-dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:49
S19	0	siebel.as. and ((multi-dimensional or multidimensional) adj database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:50

EAST Search History

S20	0	(siebel adj systems).as. and ((multi-dimensional or multidimensional) adj database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:50
S21	170	(siebel adj systems).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:51
S22	15	(siebel adj systems).as. and 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:06
S24	8	(siebel adj systems).as. and 707/3. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 08:51
S25	0	Zaman-Kazi-A.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:06
S26	0	Song-Shimin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:07
S27	0	Suen-Ed-Shaw-lee.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:07
S28	2	"20050075856"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:46

EAST Search History

S29	40	transaction adj file and sms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:46
S30	40	(transaction adj file) and sms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:48
S31	14	(transaction adj file) and sms and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 09:58
S32	14	(transaction adj file) and sms and xml and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 10:00
S33	7	(transaction adj file) and (service adj management adj system) and xml and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/08 10:50
S37	1	("20050075855").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 11:26
S44	0	(relational adj query) near3 (multidimensional adj query)	USPAT	OR	OFF	2006/06/08 15:58
S45	0	(relational adj query) same (multidimensional adj query)	USPAT	OR	OFF	2006/06/08 11:52
S46	4	(relational adj query) same (multidimensional adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:53
S47	23	(relational adj query) and (multidimensional adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:53

EAST Search History

S48	0	(build or construct) same (multidimensional adj query) same (relational adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:54
S49	1	(build or construct) same (multidimensional adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 11:56
S50	2	virtual adj relational adj tables	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:34
S51	5	"445095".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 14:06
S52	2	"6883993"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 14:06
S53	3	"6882993"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 15:50
S54	0	("20020091681").PN.	USPAT; USOCR	OR	OFF	2006/06/08 15:50
S55	1	("20020091681").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 15:50
S56	136	access same (multidimensional adj database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:00

EAST Search History

S57	94	access same (multidimensional adj database) and (relational adj database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:07
S58	50	multidimensional adj query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:07
S59	189	multidimensional near4 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:07
S60	50	(multidimensional near4 query) same (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:12
S61	153	((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:26
S62	153	((recieve or send) near4 relational or query) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:29
S63	0	((recieve or send) near4 relational adj query) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:27
S64	0	((recieve or send) near4 (relational adj query)) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:28

EAST Search History

S65	0	((recieve or send) near4 (database adj query)) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:28
S66	4	((recieve or send) near4 (query)) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:28
S67	2	((recieve or send) near4 (query)) same ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:28
S68	0	((recieve or send) adj quer\$) with ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:31
S69	0	((recieve or send) adj quer\$) same ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:31
S70	0	((recieve or send) adj quer\$) and ((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) near4 query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:31
S71	37	((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) adj query))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:31
S72	27	((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) adj query)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:32

EAST Search History

S73	27	((mak\$4 or creat\$4 or build\$3 or generat\$5) same ((multidimensional or multi-dimensional) adj query)) same database and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:33
S74	4	((mak\$4 or creat\$4 or build\$3 or generat\$5) with ((multidimensional or multi-dimensional) adj query)) same database and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:35
S75	1	((mak\$4 or creat\$4 or build\$3 or generat\$5) adj ((multidimensional or multi-dimensional) adj query)) same database and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:42
S76	2	((mak\$4 or creat\$4 or build\$3 or generat\$5) near5((multidimensional or multi-dimensional) adj query)) same (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:52
S77	0	sql near5 convert near5 mdx	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:53
S78	0	sql same convert same mdx	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:53
S79	25	sql same (convert\$4 or chang\$4 or creat\$4 or mak\$4 or build\$4 or generat\$5) same mdx	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:55
S80	25	sql same (conver\$4 or chang\$4 or creat\$4 or mak\$4 or build\$4 or generat\$5) same mdx	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 16:55

EAST Search History

S81	14	multidimensional adj data adj source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:37
S82	40	relational near5 map\$5 near5 (multidimensional or multi-dimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 17:51
S83	10576	((Multidimensional or multi-dimensional) same data) translate near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:27
S84	22	((Multidimensional or multi-dimensional) same data) same (translat\$ or model) near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30
S85	0	((Multidimensional or multi-dimensional) adj data) same (translat\$ or model) near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30
S86	0	((Multidimensional or multi-dimensional) adj source) same (translat\$ or model) near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30
S87	0	((Multidimensional or multi-dimensional) near4 source) same (translat\$ or model) near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30
S88	0	((Multidimensional or multi-dimensional) near4 source) same (translat\$ or model or convert) near4 (relational near4 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30

EAST Search History

S89	2	((Multidimensional or multi-dimensional) near4 source) same (translat\$ or model or convert) near4 (query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/09 09:30
S90	1	("20020087516").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/09 15:14
S91	1	("5555403").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/09 15:24
S92	1	("6317141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/09 15:25
S93	1	("20020124002").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/10 09:57
S94	35	((multidimensional or multi-dimensional) near4 (result)) same ((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:48
S95	35	((multidimensional or multi-dimensional) near4 (result or product)) same ((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:49
S96	38	((multidimensional or multi-dimensional) near4 (result or set)) same ((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:51
S97	39	((multidimensional or multi-dimensional or mdx) near4 (result or set)) same ((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:51
S98	35	((multidimensional or multi-dimensional or mdx) adj (result or set)) same ((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:52

EAST Search History

S99	35	((multidimensional or multi-dimensional or mdx) adj (result or set)) near4((relational or sql) adj query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:52
S10 0	10	((multidimensional or multi-dimensional or mdx) adj (result or set)) same (convert\$ or translat\$4 or chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:05
S10 1	0	((multidimensional or multi-dimensional or mdx) adj (result or set)) same (convert\$ or translat\$4 or chang\$3) same SQL adj result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:55
S10 2	0	((multidimensional or multi-dimensional or mdx) adj (result or set)) same SQL adj result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:55
S10 3	0	((multidimensional or multi-dimensional or mdx) adj (result or set)) same (SQL adj result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 10:55
S10 4	0	((build\$3 or construct\$3 or generat\$3 or create\$3) near4 ((relational) adj result)) same ((MDX or multidimensional or multi-dimensional) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:11
S10 5	4	((relational or sql) adj result) same ((MDX or multidimensional or multi-dimensional) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:32
S10 6	0	((relational or sql) adj result) same ((MDX or multidimensional or multi-dimensional) adj result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:32

EAST Search History

S10 7	0	((relational or sql) adj (result or set)) same ((MDX or multidimensional or multi-dimensional) adj (result or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:33
S10 8	0	((relational or sql) adj (result or set)) same based same ((MDX or multidimensional or multi-dimensional) adj (result or set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:33
S10 9	0	((relational or sql) adj (result or set)) same based same (multi-dimensional or multidimensional)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/10 11:34